

**From -IV
(See rule 13)
Annual Report**

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl.No	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or operator of facility)	:	Mr. Anup Prakash Deo, Location Head , Vedanta Limited , Sterlite Copper 1/1/2 village Chinchpada , Silvassa , D&NH
	(ii) Name of HCF or CBMWTF	:	Vedanta Limited , Sterlite Copper
	(iii) Address for Correspondence	:	Sterlite Copper 1/1/2 village Chinchpada , Silvassa , D&NH
	(i) Address of Facility		Sterlite Copper 1/1/2 village Chinchpada , Silvassa , D&NH
	(ii) Tel. No. Fax. No.	:	02606612300
	(V) E-mail ID	:	anup.deo@vedanta.co.in
	(i) URL of Website	:	https://www.vedantalimited.com
	(ii) GPS coordinates of HCF of CBMWTF		NA
	(iii) Ownership of HCF of CBMWTF		(State Government of Private or Semi Govt. or any other : Private
	(iv) Status of Authorization under the Bio-Medical Waste (Management and Handing) Rules.	:	Authorization No. PCC\AAD/BMW/145/19-20/575 Valid up to... 31/03/2020
	(v) Status of Consents under Water Act and Air Act.	:	Valid up to:31/12/2021

2.	Type of Health Care Facility	:	OCCUPATIONAL HEALTH CENTRE
	(i) Bedded Hospital	:	No. of Beds : 01
	(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	NA
	(iii) License number and its date of expiry.	:	NA
3.	Details if CBMWTF	:	NA
	(i) Number healthcare facilities covered by CBMWTF	:	NA
	(ii) No. of beds covered by CBMWTF	:	NA
	(iii) Installed treatment and disposal capacity of CBMWTF	:	__NA__ Kg per day
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	:	__NA__ Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	<p>Yellow category : Generated : 350 gm Disposed : 350 gm</p> <p>Red Category: Generated : 170 gm Disposed : 170 gm</p> <p>White: Nil</p> <p>Blue Category: Nil</p> <p>General Solid waste : Nil</p>
5.	Details of the Storage , treatment, transportation, processing and Disposal Facility		
	(i) Details of the on-site storage facility	:	<p>Size : NA</p> <p>Capacity: NA</p> <p>Provision of on-site storage : Waste stored in bags as per requirement</p>

	(ii) Disposal Facilities	:	<p>Type of treatment* No Capacity Quantity Equipment of Kg/day treated or Units disposed In Kg per Annum</p> <p>Incinerators Plasma Paralysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer --- Sharps encapsulation or concrete pit --- Deep Burial pits: Chemical disinfection: --- Any other treatment equipment:</p>
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.)
	(iv) No of vehicles used for collection and transportation of biomedical waste.	:	
	(v) Details of incineration ash and ETP sludge generated and disposal during the treatment of wastes in Kg per annum)	:	<p>Quantity Generated Where disposal</p> <p>Incineration Ash ETP Sludge</p>
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	ENCLARE BIOMEDICAL WASTE PVT LTD , SURAT
	(vii) List of member HCF not handed over bio-medical waste.	:	NA

6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.	:	YES , MOM ATTACHED
7.	Detail trainings conducted on BMW		
	(i) Number of training conducted on BMW Management.		05, YES , DETAILS ATTACHED
	(ii) Number of personnel trained		04 NOS
	(iii) Number of personnel trained at the time of induction		04 NOS
	(iv) Number of personnel not undergone any training so far.		NA
	(v) Whether standard manual for training is available ?		YES
	(vi) Any other information)		NA
8.	Details of the accident occurred during the year		NA
	(i) Number of Accidents occurred		
	(ii) Number of the persons affected		
	(iii) Remedial Action taken (Please attach details if any)		
	(iv) Any Fatality occurred, details.		
9.	Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?		NA
	Details of Continuous online emission monitoring systems installed		NA

10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.		NA
11.	It the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		NA
12.	Any other relevant information		NA

Certified that the above report is for the period from January 2019 to December 2019



Mr. Anup Prakash Deo

Name and Signature of the Head of the Institution

Date: 19.06.2020

Place: Silvassa